



TechNews

Summer 2012 | Volume 5 | Issue 2



INFINITI

nismo

- | **LEAF**
- | **Transmission Diagnosis**
- | **Glue & Stick**
- | **EPS**
- | **Dealer Listing**

*Brought to you by your local Wholesale Mechanical
and Collision Repair Network Dealers*



SHIFT. the way you move




Speed Up Your Cycle Time. Not Your Re-Cycle Time.

TRUST THE ORIGINAL. GENUINE NISSAN PARTS.

Cheap aftermarket parts are expensive. Every time you re-fit, re-sand or re-finish an ill-fitting part it's costing you money. In order to maximize profits, you need to maximize the use of every available hour of labor.

Don't settle for anything less than Nissan Original Equipment replacement parts. They provide the same fit and finish as the original part, potentially speeding up repair cycle-time. Ultimately providing a higher level of customer satisfaction and profit to your bottom line.



*Outer sheet metal panels are warranted as long as your customer owns their vehicle.



Your Rewards are Ready!

Nissan and Advantage Awards offer you the most comprehensive online reward catalog available in the repair industry. Parts Reward Points are issued to enrolled repair shops on qualifying Genuine Parts purchases from participating Nissan and Infiniti dealers*.

*To enroll your shop visit nissanpartsrewards.com or infinitipartsrewards.com.

Nissan & Infiniti Tech News is a publication of Nissan North America. No part of this newsletter may be reproduced without the express written permission of Nissan North America.

Group Publisher

Christopher M. Ayers Jr.
cayers@automotivedatamedia.com

Editorial Director

Bob Freudenberger
bfreud@automotivedatamedia.com

Managing Editor

Tom Nash
tnash@automotivedatamedia.com

Contributing Editors

Bob Chabot
bchabot@automotivedatamedia.com

Paul Cortes
pcortes@automotivedatamedia.com

Phil Fournier
ffournier@automotivedatamedia.com

Christian Strohm
cstrohm@automotivedatamedia.com

Art Director

Jef Sturm
jsturm@automotivedatamedia.com

Nissan North America

Project Manager

Don Meier
don.meier@nissan-usa.com

Nissan North America

Technical Content Advisors

Edwin J. Hibma
ed.hibma@nissan-usa.com

James Von Ehr
james.vonehr@nissan-usa.com

Editorial and

Circulation Offices:

134B River Road
Montague, NJ 07827
Phone: 330.620.3929
Website: www.mastertechmag.com

Caution: Vehicle servicing performed by untrained persons could result in serious injury to those persons or others. Information contained in this publication is intended for use by trained, professional auto repair technicians ONLY. This information is provided to inform these technicians of conditions which may occur in some vehicles or to provide information which could assist them in proper servicing of these vehicles.

Properly trained technicians have the equipment, tools, safety instructions, and know-how to perform repairs correctly and safely. If a condition is described, DO NOT assume that a topic covered in these pages automatically applies to your vehicle or that your vehicle has that condition.

Contents

Features




04 | Leaf

Nissan's all-electric LEAF incorporates both new and existing technologies. This article will familiarize readers with the unique features and design of this car, and provide insight into its expected maintenance and service needs in the future.



14 | Automatic Transmission Failure Diagnosis

Modern automatic transmission failure diagnosis can be daunting. Use these easy methods for testing the suspected component or system, research the specific service information – and apply a little logic – and you'll get the job done faster and more accurately.



20 | Glue & Stick

Hot on the heels of advanced high-strength steels and alloys, vehicle structures are now incorporating more thermoplastic, carbon fiber and other composite materials. The ongoing quest for lighter vehicle weight, performance without compromise, improved safety and lower manufacturing costs is driving the shift to these new materials.



26 | Electronic Power Assist


Electronic power steering systems (EPS) are now more common than ever on newer Nissan vehicles. This article covers the three types Nissan uses for its EPS, a discussion of its advantages, and tips for diagnosis and repair.

Department

| 27 Nissan & Infiniti Dealer Listings

| New Growth: The Nissan LEAF





Nissan's all-electric LEAF incorporates both new and existing technologies. This article will familiarize readers with the unique features and design of this car, and provide insight into its expected maintenance and service needs in the future.

The LEAF was introduced in 2011 as Nissan's pioneer vehicle for the future of electric cars. It has a distinctive body design not based on any other platform in the Nissan fleet, giving it a road presence unlike any other compact car. Prominent LED headlights and a long LED cluster tail light, coupled with blue-chrome accents make the LEAF impossible to confuse with other vehicles. plus, once you pop the hood, nearly the only thing that looks normal is the faux "valve cover." Let's take a closer look at the features of the new LEAF to try to strip away some of the mystery.



The stylish faux valve cover is set on top of the inverter unit and creates a traditional engine bay appearance.

Overview


The LEAF is a front wheel-drive car, utilizing an all-electric three-phase traction motor and reduction gear to drive the CV axles. The motor gets its power from a lithium-ion battery pack composed of 48 modules in series, each containing four laminated cells to produce a total of 403V. A water-cooled inverter changes battery power as necessary from DC to AC to drive the motor, and, likewise, from motor-generated AC (from regenerative braking) to DC to charge the battery pack. Regenerative battery charging is achieved by converting the kinetic energy of the already moving car into power through induction within the traction motor. The suspension is independent MacPherson struts in the front, and a solid I-beam in the rear with shocks. Steering input is rack and pinion, with an electronically-controlled electric power steering rack. It's equipped with standard ABS using four-wheel disc brakes. Vehicle Dynamic Control (VDC) is standard, and enhances safety and handling.

The instrument panel has two separate displays for the driver, showcasing unique LED styling for electric power consumption, and Nissan's usual dot-matrix information screen. An integrated navigation unit comes standard, using GPS and telematics to show the vehicle's estimated range and nearby quick charge locations.

Powertrain

The first description of the LEAF is invariably that it's "an electric car," so we should begin with how it works without an internal combustion engine.

The traction motor takes the place of a conventional engine, and generates torque from precisely-controlled electromagnetic fields. The motor is basically two primary components: the permanent magnet rotor, and the coil windings of the stator. Information about temperature or speed sensor locations, cooling tubes, and high-voltage connections, or other specific components can be found in the service manual.



The traction motor consists of the stator core (1), coil windings (2), output shaft (3), rotor core (4) and permanent magnet (5).

Information about temperature or speed sensor locations, cooling tubes, and high-voltage connections, or other specific components can be found in the service manual.

When three-phase AC current is applied to the stator coil windings, a controlled electromagnetic field is generated. This field pulls on the permanent magnet inside the rotor, causing the rotor to chase the generated field. The Vehicle Control Module (VCM) can create a constantly rotating electromagnetic field using a rotor position (angle) sensor, much as an internal combustion engine regulates ignition and fuel using crank and cam sensors. The torque generated by the electric motor is approximately proportion-

al to the amperage of the current, whose frequency (or pulse timing) affects the rotational velocity. Current application is controlled by the VCM monitoring position with the traction motor resolver and current flow from a sensor within the inverter.

Some DTCs (Diagnostic Trouble Codes) will limit the rotor rotational speed, the torque output of the motor, or both as a precaution. A P3240 "Drive Motor Current Control Malfunction" may set if the VCM does not see expected changes in current application due to sensor error or an internal problem. The LEAF requires a CONSULT-III plus for diagnosis and repair.

Like an internal combustion engine that performs

differently according to changes in the intake charge and timing, an electric motor is dependent upon the frequency and amperage of the supplied current. It is the job of the VCM and the inverter to create the equivalent of an intake charge for the traction motor. It does this by adjusting voltage based on two calculated values: target force, and motor torque request signal. Because the resistance within the system is constant, changes in voltage affect amperage proportionally – think Ohm's Law.

Target force is based upon sensor input from the accelerator pedal position, vehicle speed, and shift position. Other systems like ABS or VDC will send torque-down signals to the VCM to reduce motor torque output. Once determined, the VCM will command the inverter to convert DC from the battery pack into AC of the specific amperage (torque) and frequency (rotational speed). Thanks to thermodynamics, this conversion work also generates heat which is transferred into the cooling system and dissipated by the radiator in a traditional manner.


The LEAF also charges the battery by working in the reverse of the above method. Instead of creating synchronous electromagnetic fields, during regeneration the outer field is maintained stationary. The rotor magnet moves through the field creating a current flow by the electrical property of induction. This AC current is captured by the inverter, converted to DC, and stored in the battery pack. The VCM performs the regenerative charge constantly at deceleration, effectively slowing the vehicle. In ECO mode, the LEAF will regenerate more aggressively; however, in both

modes, when the battery is at the fully charged state, no regeneration is performed. This is to protect the battery from overcharging.

The heart of the powertrain is the 403V Li-Ion battery pack, arranged beneath the floor of the leaf. Every cell of the 48 modules is monitored, and the CONSULT-III plus can display many relevant PIDs for the battery pack, such as module voltages, total voltages, charging/discharging voltage differences, and the four battery temperature sensor signals. Yes, if there is a battery cell malfunction, a DTC will point directly at the problem cell. Considering the pack weighs a total 648 lbs., we should be thankful that any one of the modules can be replaced in the event of failure.

The LEAF comes standard with two ways of charging the battery pack at home using domestic AC. The "Normal Charge" method requires professional installation of a 240V source at home, and achieving a full charge will take approximately six

hours. The "Trickle Charge" method will allow 120V household electricity to fully charge the battery in approximately 21 hours. The trickle charge method is not recommended for normal use according to the Owner's Manual, but can be useful when at a friend's house. This charging method may use power a bit erratically, charging and discharging capacitors for example, that may trip household breakers or cause other leaks to ground. Anecdotally, it appears that the trickle charge is not recommended due to its unreliability. Using the trickle charge method will not cause damage to the vehicle. It is best to follow Nissan's recommendation.



This diagram indicates the location of the 403V lithium-ion battery pack (1) and the service plug (2).



The port on the left is for quick charge. Shown here, the LEAF is using the shop's 240V to get a little charge while in for service.

An optional "Quick Charge" port can be installed in the LEAF, allowing a zero to 80% State of Charge (SOC) in about 30 minutes. These high-powered stations are available in some locations, and can be found using the LEAF's navigational unit. However, repeated Quick Charging may shorten the lifespan of the battery pack.

Every 12 months, regardless of mileage, Nissan requires the annual Battery Usage Report for warranty purposes. This must be done with the CONSULT-III plus. We will discuss the report below in the maintenance section.

Transmission and Drivetrain

The LEAF does not have a CVT or planetary gear transmission, but rather a reduction gear that looks much like the gears in a shop roll-up gate. The electric motor output speed and torque can be precisely controlled so there is no need for a conventional transmission's changing gear ratios. On top of the reduction gear housing is where the electronic park position actuator lives, and a parking pawl is found inside the case. The LEAF uses a unique parking feature, which can be set or released with



the electric shift selector, which inputs the command (park, drive or reverse) to the shift control module. Once set, the BCM transmits the ON/OFF command to the electronic shift control module. The shift control module alerts the VCM of the signal, then commands the parking actuator to operate, which will lock or unlock the parking pawl appropriately. This is the electric parking brake in the rear wheels, not the parking gear in the reducer, and has nothing to do with shift selection. The LEAF cannot be shifted while in OFF or ACC modes.

The LEAF utilizes standard CV axles, so periodic inspection and repair of the boots as necessary will ensure long axle life.

Brake and Steering Systems

The basics of the LEAF's brakes are what you already know and understand from most other vehicles: disc brakes using hydraulic caliper pistons. However, Nissan introduces an electronically-driven Intelligent Brake Unit (IBU) that integrates the brake control module with the master cylinder and an electronic brake booster.

Because the VCM can switch the role of the traction motor into a generator when not accelerating, the LEAF must account for this behavior in braking. When you try to separate two magnets, it requires effort; the same force also occurs during the induction process within the electric motor, effectively slowing the vehicle down. This is called regenerative braking, and it can be used cooperatively with the friction brakes to stop the car. The VCM can measure the exact stopping




The RE1F61A reduction gear input gear has 17 teeth, connected to a 31-tooth main gear, which outputs through another 17-tooth gear to the large, 74-tooth final drive gear. The final gear ratio is 7.937. In this diagram, (A) indicates the power input direction and (B) indicates the power output flow.

power of the regeneration process by monitoring the AC generated – simply the inverse of how it calculates target motor speed and torque.

Here's how the LEAF comes to a stop. First, the Stroke Sensor in the brake pedal assembly measures the pedal travel (driver input) and gives this information to the IBU control module. From this input, and with data from CAN communications about the vehicle speed, available cooperative regeneration slowing force, and wheel speed sensors, the IBU module commands the brake actuator to develop required hydraulic pressure within the brake master cylinder using the actuator motor to control the master cylinder piston. As the traction motor develops braking energy through regeneration, the VCM will transmit the regenerative force to the IBU using the CAN bus. The IBU will then command the master cylinder actuator to reduce hydraulic pressure in response to traction motor braking. If the lithium-ion battery is fully charged, no regeneration will occur and hydraulic pressure alone is used for braking.

In the event of an emergency power outage, the LEAF can still provide friction braking. The IBU fail-safe feature allows physical master cylinder control with the brake pedal. When the LEAF has no power, solenoids that would otherwise be energized default to a position that allows the pedal to directly interface with the master cylinder. For this reason, it is necessary to power off the LEAF during brake fluid flush maintenance in order to bleed the lines.



The Intelligent Brake Unit is not independently serviceable, but is monitored completely by the VCM and will report any malfunction using the MIL and dedicated bulb indicators.

The LEAF's Electronically Controlled Power Steering System (EPS) generates optimal power assist torque based on the load on the front wheels, steering wheel turning torque, and vehicle speed. The EPS unit is attached to the steering column, and its output shaft connects to a standard rack and pinion. During operation, sensors detect the motion and torque of the steering column (driver input) and the EPS module calculates the necessary assistive power using an electric motor within the EPS unit. Therefore, the motor can provide a varying amount of assist based on steering input: the greater the steering

input, the greater the amount of current supplied to the EPS motor for assist. Since electricity is only required when assist is needed, the total draw on the 12V battery is reduced. The EPS employs a reduction gear to properly transmit output torque into the rack assembly.

Diagnosis and repair of braking and steering systems must be done with the CONSULT-III plus. After component replacement, it is often necessary to perform certain special service requirements. For example: a zero-point calibration can be performed for the EPS so the return-home position is learned.


Restraint System
and Miscellaneous Accessories

The LEAF is equipped with many of the safety features modern consumers have come to expect: driver, passenger, side, and curtain air bags. The Supplemental Restraint Systems (SRS) are controlled in a conventional fashion, utilizing G-sensors, yaw sensors, and crash sensors to logically determine whether a crash has occurred, from what direction, and with what severity. Repairing the LEAF after a collision requires more diligence than normal due to the presence of high voltage. Follow the service manual guidelines for properly disabling 12V and high voltage prior to working on SRS components.

Air conditioning is controlled electronically by what

Nissan terms the “A/C Auto Amp.” The electric A/C compressor uses high voltage input to power a three-phase motor in an identical manner to that of the main traction motor. The driver can determine his or her desired level of cooling, and the A/C Auto Amp will electronically control the A/C compressor speed to generate the target output temperature. Because the compressor can be controlled independently of motor speed, the system is inherently more efficient than a belt-driven unit on a conventional car. As the compressor draws power from the high-voltage battery, it will decrease the overall range of the LEAF and should be taken into account when discussing the Battery Usage Report. ECO mode will automatically decrease the power available to the A/C compressor.

An “alternator” is simulated by using an onboard DC to DC charger, which lives in the DC/DC junction box. The



high-voltage battery pack will automatically supply power to charge the on-board 12V battery as necessary. When the vehicle is stored OFF for an extended time, the VCM will periodically charge the 12V battery for five minutes every few days. Nissan cautions LEAF owners not to leave the HV battery SOC above 80% when storing the vehicle as it can affect the longevity of the battery pack.

High-voltage components generate heat. Except for the battery, this heat is handled using an aluminum core radiator and electric fans. Two electric water pumps are controlled by the VCM and set in series to operate together for redundancy. The VCM can control the amount of cooling by directly operating the water pump duty cycle. Sensors within the DC/DC junction box, traction motor, and on the inverter will report operating temperatures to the VCM. Use only Nissan genuine pre-mixed coolant (blue), and never use stop-leak additives because they can damage the electrical components.

Maintenance and Driver Conveniences

The LEAF is equipped with cellular telemetry, live updates, and remote control. This system is called CARWINGS. The telematics control unit (TCU) lives under the dash, near the right passenger kick panel. Nissan cautions service personnel who rely on cardiac pacemakers or other life-support systems to be mindful of the interference that the telematics antenna can cause. The LEAF is capable of using both Simple Message System (SMS; colloquially called text messaging) and Internet connectivity to provide drivers with basic status information and bi-directional control of some systems. Once owners have registered their username and password, they can use a supported device such as an iPad to check battery SOC, monitor and control at-home charging, or even begin cabin conditioning using the HVAC.

Due to FCC controls and regulations, a unique VIN and International Mobile Equipment Identifier (IMEI) must be registered to any TCU. Therefore, it is not possible to perform diagnosis or repair with a known-good TCU or a recycled part. Furthermore, a replacement TCU can only be activated using the CONSULT-III plus after any replacement. The work support function provides the necessary registration steps. CARWINGS will allow users to locate nearby charging stations while traveling without having to install GPS update DVDs. The navigation computer is able to display the vehicle's range, and display available stations.



Communicate with the LEAF remotely using SMS on a cell phone, or the internet and a support device. Shown here is the Apple iPad app.

A LEAF high-voltage Lithium-Ion battery that is nearly discharged will begin to limit power distribution to the traction motor and A/C systems to increase range. The charge limitation indicator ("turtle light") will turn on to alert the driver that the LEAF will no longer accelerate at the same rate. The Owner's Manual warranty supplement will include emergency contacts for road-side charging or towing. Towing a LEAF must be done with a flat-bed, or with the rear wheels trailing. If a LEAF is towed with the front wheels on the road, the traction motor may generate electricity and cause damage to the EV components.

The LEAF still requires periodic maintenance. Nissan recommends changing the brake fluid and cabin filter every 15K, along with inspections. The high-voltage cooling system should be serviced every 125,000 miles. Details are in the LEAF service manual. Every 12 months regardless of mileage, the EV component warranty requires a Battery Usage Report. This report is generated on a CONSULT-III plus, under the maintenance function.

Advice for your usage

The recommendations below can help to minimize the ongoing impact on your LEAF Li-ion battery, which can affect your battery's total capacity over its lifetime.

Item	Cause of gradual loss of capacity ¹	Recommendation ³	Your score ²
Charging	Frequent use of Quick charging	Your score is very high and good for your battery	★★★★★
	Frequent charging when batter state of charge is already high	Your score is very high and good for your battery	★★★★★
Driving	Too much electric consumption while driving	Your score is very high and good for your battery	★★★★
Storage	Long term parking with high state of charge	Your score is very high and good for your battery	★★★★★

This LEAF driver is gentle on the high voltage battery.

Recommendation	Your score
Use normal charge equipment (not quick charge) when possible	★★★
Select 80% charge limit mode when your daily driving journey is short	★★★★★
Use the ECO MOCE for a gradual and smoother acceleration and for a reduced drive load	★★
If your vehicle will not be driven for a long period of time, limit State of Charge to below 80% selecting 80% charge limit mode	★★★★

This LEAF driver may be a bit too aggressive in driving or usage habits. The Battery Usage Report can help your customers improve their range.

The Battery Usage Report is a table designed to illustrate the projected condition of the battery under current usage. In the top graphic, the driver does not stress the high-voltage battery with repeated quick charges, fast acceleration, frequent ACC-only "idling," or continual use of the A/C. Gradual loss of capacity is a normal battery characteristic. Nissan states that the HV battery is expected to perform at approximately 80% of its original performance after five years of average use. However, battery capacity and range can vary depending on a number of factors, including age and usage of the battery, number of passengers and payload, air conditioning/heater usage, high speed or stop-and-go driving, and topography.

Springtime for Electric Vehicles

The electric vehicle movement is gathering support and momentum, and will require an additional level of expertise. Shops that train and familiarize themselves with hybrid and electric vehicles will be able to retain their customers who eventually shift away from their conventional gasoline vehicles. The Nissan LEAF is very popular, and will show up in your shop. Will you be prepared? |

Automatic Transmission Failure Diagnosis



Modern automatic transmission failure diagnosis can be daunting. Use these easy methods for testing the suspected component or system, research the specific service information – and apply a little logic – and you'll get the job done faster and more accurately.

Automatic transmissions existed long before advanced electronic systems were available to control them. What was once a virtually self-contained system has now spread out. While it's still called an "automatic" transmission, it has actually become more of a controlled transmission. Without a lot of external help, modern automatic transmissions are just a single-speed gear reduction.

First, the information necessary to make gear selection choices is now made based mostly on components outside of the transmission housing. The information the throttle pressure cable once provided is now furnished by the ECM, based on input from sensors such as the TPS. Vehicle speed is now also measured via sensors and relayed to the TCM through the ECM. Finally, the "clockwork" that once opened and closed valves and directly controlled shifting has been replaced with externally-controlled solenoid valves.

The decision-making is now done outside the transmission case as well. Mechanical hydraulic systems are not capable of the same level of "intelligent" thinking as an electronic control module, and intelligent shifting choices are necessary to increase efficiency, performance, and drivability. Shift timing and clutch application can now be perfectly matched to driving conditions. The torque converter clutch can be locked in any gear or even partially locked with duty cycle control. The control unit is even able to recognize driving situations, such as a grade, and provide engine braking or prevent overdrive hunting as appropriate. "Programming" a pure mechanical hydraulic system for this level of control would be nearly impossible, and, even if it were, the added weight would be unacceptable.

Thus, the modern transmission has become mostly output. There are a few sensors, and there is still some direct mechanical hydraulic control, but most of the transmission's function is actuation: to put commands into action, not to evaluate or make decisions. Changing gear ratio requires input, logic, and output. Only one third of this system lives within the transmission housing. Therefore, the odds of accurate diagnosis-by-test-drive or replace-based-on-symptom are lower than ever before. This is why thorough transmission diagnosis is critical, even if your shop usually replaces rather than repairs.

Easy as 1- 2 - 3

The fundamentals of transmission diagnosis are much the same as the fundamentals of diagnosing any computer-controlled system. Just answer the following questions:

1. How was the system designed to work?

Computer control is all about logic – "if this, then that." Find out what the transmission should be doing, then see if it is doing it.

2. What are the relevant sensor inputs, and do they match actual conditions? If not, why?

3. What are the outputs, and do the output commands match the actual output. If not, why?

Research is the first step, but in order to research efficiently, you must have a direction to pursue; an idea of where to focus the enquiry. So, without spending too much time, carefully read the symptom description on the repair order, test drive the car, and check for trouble codes. However, it's important not to get sucked into trying to perform diagnosis before understanding how the system should work, so as soon as you've found a direction, leave the car and head for your laptop.

There are several very useful areas in the service manual. If you have a trouble code (DTC) to work with, the section that covers On Board Diagnosis Logic is extremely useful. It's possible to "get inside the mind" of the TCM and know what it's going to do (or at least what it should do). If you know how the TCM is testing the system, and how it will interpret the results, you'll be able to set up your own testing; drive under appropriate conditions, monitor the sensors the TCM uses to test, and apply the logic the TCM applies. A little research, observation, logic, some simple math and you'll be in a position to evaluate what's happening, just like the TCM, but with a lot more processing power and flexibility of thought.

Divide and Conquer

"Divide and conquer" is a term adapted to a network diagnostic technique that works wonderfully for almost any diagnostic situation. In essence, the idea is to test the system from as close to the middle as possible,

decide which side has the problem, then divide that side in the middle as well, decide which side has the problem, and continue to divide and decide until the problem is isolated.

The “center” of the system is the TCM. Inputs and outputs are all on display from the comfort of the driver’s seat using the CONSULT III PLUS. The CONSULT III PLUS allows the technician to view the system from the middle. You’ll be able to see what the TCM sees and how it responds; the relevant input signals and the output commands.

Often, the “Service Engine Soon” (MIL) and “AT Check” light will come on when there is a problem with shifting. Sometimes this will happen before the driver even notices any other symptoms. When a DTC is present, it’s almost always best to start with trouble code diagnosis before trying to diagnose by symptom, but in the end, every situation is different, so do what makes the most sense based on the situation.

Diagnostic Trouble Code Diagnosis

Start by looking at Freeze Frame Data (FFD). Perhaps “looking at” is not a good way to say it; FFD should really be “examined,” or “analyzed.” Look carefully at all of the PIDs. Are they related to the DTC detection logic contained within the FFD? If so, can you see why the code set? Are any of the PIDs obviously impossible? The TCM uses rational comparison of inputs, and so can you. Also, note all of the conditions related to the conditions when the code set so that you can duplicate them on a test drive for diagnostic and repair confirmation purposes.

When a transmission-related DTC is found, or you suspect a condition exists that might cause a code with a little more duration, try the DTC WORK SUPPORT feature in CONSULT III PLUS. It’s a very handy tool to determine if a problem is currently occurring. DTC WORK SUPPORT for AT codes can be found by selecting AT>DTC WORK SUPPORT, then choosing the appropriate test for the DTC or symptoms. In order to run the DTC WORK SUPPORT test, the driving conditions must match the test criteria. In other words, if you’re testing for 1st gear function, you’ll need to drive the car under conditions that allow the TCM to test the function of 1st gear. Instructions for doing this can be easily found in the service manual. Still using the 1st gear function as an example, look under the diagnosis

section for P0731 (1st gear function) and use the Diagnostic Trouble Code Confirmation Procedure found there.

The guided testing of DTC WORK SUPPORT is not the only method of diagnosis, albeit a convenient one. When all else fails, it’s possible to use logic to diagnose the problem. However, in order for logic to work, you must have true statements to work with, and the best place to find the true statements is in the service manual.


It’s important to note that the presence of a DTC may alter the logic of the transmission. For instance, if the transmission is slipping badly in 1st gear and a P0731 is set, the TCM could decide not to use 1st gear and start off in 2nd. If you want to confirm the original symptom on a test drive, you may need to clear any DTCs first.

Inputs

It makes sense to start by looking at the inputs, as output is based on it. Let’s say a vehicle is in the shop with the complaint of no overdrive. After checking the



Solenoids can fail electrically (an open or short in the windings), or become stuck. Sticking is usually caused by fluid contamination. Fluid should be replaced if a stuck solenoid is found. However, if a transmission is worn and continues to dump debris into the fluid, a replacement solenoid may only be a short-term solution.




The DTC WORK SUPPORT feature on the CONSULT III PLUS can determine if a problem is currently occurring.

system description you know that the overdrive cancel button must not be pressed, the transmission fluid must be up to normal operating temperature, and the vehicle speed and load conditions must be suitable for overdrive gearing.

What inputs should be checked? Probably the Throttle Position Sensor (TPS), Transmission Fluid Temperature Sensor (AT Temp), the O/D lockout switch (3rd gear switch), and vehicle speed inputs like the Vehicle Speed Sensor (VSS) and Output Shaft Speed Sensor (AT REV). These are the inputs the TCM will examine to make the decision. In order to decide whether the problem is with input, logic, or control, you should monitor relevant input, research the logic descriptions, and verify desired output. If the 3rd gear switch PID is ON, then the logic and output are as designed, so focus on why the 3rd gear PID switch is on.

Logic

Once input conditions are met for a particular output, the next question is: Is the TCM output in agreement with the description in the service manual? It's rare to see a logic failure, so if you think you've found one, suspect a manual error. Compare it against an identical vehicle before ordering a TCM. However, there are often updates available to improve transmission performance and longevity, so always check for TSBs.



Test driving the car using the DTC WORK SUPPORT will allow the CONSULT III PLUS to check each transmission function.

Output

The output PIDs indicate what the transmission "thinks" it's doing. If the transmission is not doing as commanded, it's time to find out why. This can be broken into five questions:

- 1. Is the solenoid output signal leaving the TCM?**
- 2. Is the solenoid output signal reaching the transmission?**
- 3. Is the solenoid operative?**
- 4. Does the output have the support it requires (fluid pressure)?**
- 5. Is the actuator the solenoid controls receiving the desired output?**

As stated earlier, start in the middle; is the solenoid operative? There's usually no need to remove the suspect solenoid from the transmission for resistance testing or power testing. If the solenoid can be heard clicking, it's likely the TCM output, wires, and solenoid are all okay. If there is an active test available for the solenoid, use it to cycle the solenoid. If not, it may be possible to operate the solenoid with the KOEO in gear (depending on which solenoid and which car). Finally, the solenoid can be activated using the instructions in



Transmission fluid should be translucent and free of floating debris. Most fluid is dyed red, but some fluids, like NS2, may have a different tint. Some types of fluid have a sweet odor when in good condition, but others can smell a little "sharp" even when new. Don't rely on odor as a gauge of condition unless you are familiar with what "normal" smells like.

the manual while listening for clicking. A fuel injector balance tester is a handy tool for this method.

Mechanical and Hydraulic Problems

Once problems with transmission control systems and solenoids have been examined, there are still plenty of things that can go wrong inside the transmission case. The most common causes of failure can be put into three categories:

- 1. Mechanical wear causing noise/vibration.**
The debris from the failing parts may also jam solenoid valves.
- 2. Clutch wear causing excessive clutch pack clearance and slipping.** *This too may cause solenoid valves to get stuck.*
- 3. Inadequate fluid pressure caused by either poor pump output or internal leaks.**



Transmission fluid becomes opaque and brown as it degrades. An acrid burnt odor and floating bits of clutch, bushing, and steel shavings are signs of trouble.



Fluid pressure does most of the work in the transmission. Use a pressure gauge to find out whether fluid pressure is adequate and if it's being directed properly.

Mechanical wear is best diagnosed by examining the fluid and the inside of the transmission pan. Clutch wear is usually diagnosed through a combination of test driving and fluid/pan examination. Fluid pressure issues should be diagnosed using a pressure gauge and the tests outlined in the service manual. |



Only the Good Stuff

Because a CVT operates on principles far different from those of regular automatics, NS-2 fluid is an absolute requirement. That doesn't mean, however, that other Nissan transmissions should be filled with generic ATF. Using only genuine Nissan O.E. fluid will help assure that your customers avoid expensive repairs.

It's been said that "It's better to miss a fluid change than to use cheap ATF." Amen. There are numerous aftermarket companies out there that push the "one size fits all" idea where ATF is concerned, and use the dubious phrase "meets OEM standards" to promote their products. We beg to differ. If you want to save your customers from expensive trans damage and differentiate your maintenance services, use only OE fluid from your local Nissan/Infiniti dealer's parts department for your flush and refill jobs. Buying in bulk will make it economical.

Also, one of the first steps in a transmission/transaxle diagnosis should be to determine


what's in there, perhaps by quizzing the car's owner. Especially where harsh engagement, shudder, and delay are concerned, just a switch to the right stuff (read the dipstick, owner's manual, and fluid requirements at www.nissan-techinfo.com) may actually cure the problem. Chances are, however, that the damage has already begun, so explain to your patrons that since transmission repairs are a multi-thousand-dollar proposition these days, it's only sensible to keep Genuine Nissan ATF in those technological marvels always.

Of course, you are aware by now that using anything but NS-2 in a CVT will ruin it in short order.



Are you repair-ready for **chemical bonding**?

ARE YOU REPAIR-READY?



Collision professionals must remain current in the four key resource areas shown above. Only then can they be fully competent to perform complete, safe repairs for customers (courtesy ManicMedia LLC).

Hot on the heels of advanced high-strength steels and alloys, vehicle structures are now incorporating more thermoplastic, carbon fiber and other composite materials. The ongoing quest for lighter vehicle weight, performance without compromise, improved safety and lower manufacturing costs is driving the shift to these new materials. Nissan customers are already driving vehicles made in part from these new materials and more are on their way. Consequently, chemical bonding using structural adhesives is often the preferred and recommended joining method, rather than welding or riveting.

Professionals must ensure they are up-to-date with the latest service and repair information, invest in the required tooling, and seek effective training to learn and assimilate modern bonding-related repairs. Keeping competencies current is not only the difference between a cosmetic versus a complete repair, it's also driving opportunity to properly-prepared collision facilities.

Bonding is the "New Normal"

Bonding with adhesives is a more complicated process than in the past. No longer is it a matter of just slathering on some glue and clamping the parts

together. While structural adhesives have been used for more than 25 years in the automobile industry, early adhesives were predominantly single-component varieties, which at that time were sufficient for some repairs involving conventional mild strength steels.


The transition to repairing newer materials necessitated a shift to two-component (a resin and a catalyst) adhesive formulations that provided improved bonding properties and allowed more working time during repair.

When combined during a repair, the catalyst initiates a chemical reaction in the resin. Expect to feel the bonded parts heating up as the resin develops its bonding properties as the mixture cures. Note that the curing ability that is built into an adhesive can vary from minutes to days, which affects a technician's working time. In addition, baking, ultraviolet light, hot air welding, or other procedures involving applied heat may be required.


Managing the types of stresses that a vehicle will encounter post-repair is also essential. This requires matching the right adhesive to the expected stresses and following more intricate bonding procedures. It's the new normal.

For example, bonding with structural adhesives is particularly effective in instances where the primary stress forces are either compression, or shear – where

TYPES OF STRESS



Chemical bonding, alone or in conjunction with other techniques, is an effective joining process for managing the above types of stress (courtesy Dow Automotive Systems).



Adhesion and cohesion are the two fundamental properties of adhesives used in bonding materials. Adhesion (red arrows) is the attraction between the materials being bonded and the adhesive. Cohesion (blue arrows) is the attraction between the molecules of the adhesive itself, which occurs as the adhesive cures (courtesy 3M).

the force tries to slide the joined surfaces against one another, like pressing your hands together and trying to slide them apart. Conversely, bonding is not as effective in locations where tensile or torsion stress forces are in play. In cases where the tensile stress acting on the joint would pull the two pieces apart (peeling), or the torsion stress could bend or twist the joint, collision repair procedures often specify that adhesives be used together with rivets (rivet-bonding), or in conjunction with certain techniques, such as spot-welding.

The two-stage structural adhesives in use today include polyurethane epoxies, glassy matrix epoxies, which have glass beads embedded in the resin, and rubber-based epoxies. Glassy matrix epoxies, for example, are extremely strong and rigid, and they resist shearing stress at very high force levels. Polyurethane epoxies are more flexible and provide a better fit for some components, but they break under shearing forces at much lower force levels than glassy matrix epoxies. Newer rubber-based adhesives contain additives that allow synergistic rubber toughening of adhesives to provide high-strength epoxies with greater flexibility – a hybrid of the earlier formulations.

Chemical Bonding Offers Significant Advantages

Similar to higher-strength metals, newer plastics and other inbound composites come in different grades, which impacts how each material performs under various

stresses during normal operation and during a collision.

Adhesive manufacturers 3M and Dow Automotive Systems say that the proper use of modern adhesives in bonding repairs:

- Provides more durable and stronger repairs with less corrosion risk than just welds. In fact, adhesives usually form a bond stronger than the materials they're bonding together.
- Reduces the number of welds that would have otherwise been required. For example, OEM rivets and OEM structural adhesive are used in areas that squeeze-type resistance spot welding (STRSW) arms cannot access.
- Helps resolve problems with cracks around spot welds occurring as a result of fatigue loads. In addition, adhesives also enable hybrid sandwich construction to be employed in manufacturing.
- Optimizes the energy flow of the various stresses during normal vehicle operation, or a collision. These forces can be more evenly distributed across a region that is joined with adhesives, when compared to those joined only by welds, rivets, or other joining methods.



In some cases, Nissan requires procedures where adhesives are used along with other fastening methods. For example, proper repair of the GT-R requires the use of adhesives in the bonded and bolted joint where the aluminum rail attaches to the front steel structure, and also where the aluminum bulkhead attaches to the rear bulkhead. Adhesives are also used on the wheelhouse-to-quarter panel hem-flange joint (courtesy I-CAR).



Consult TECH-MATE for Nissan-approved equipment, tools and supplies required to perform chemical bonding repairs. Examples include the fixture equipment and rivet bonding guns (courtesy I-CAR).

- Improves noise, vibration, and harshness (NVH) by dampening airborne noise distribution and minimizing body vibrations.
- Increases structural integrity and acts as an isolator between the dissimilar metals, preventing galvanic corrosion.
- Empowers the future introduction of lighter weight carbon fiber roofs and other non-steel and non-alloy components without compromising strength, performance, safety or durability.

Because different bonding adhesives have unique properties to provide acceptable or improved elasticity and flexibility, in addition to better stress management for the materials being bonded, collision repair facilities and technicians must be vigilant. The use of the wrong adhesive and/or incorrect bonding repair procedure – whether from ignorance or negligence – compromises everyone.

Rivet-Bonding is on the Rise

New vehicle construction techniques mean new procedures in collision repair are needed to maintain the integrity of a vehicle in the case of any following accidents. Consider the Nissan GT-R that uses a multi-material design of high-strength steels, aluminum, and carbon fiber.

While high-strength steel is used for most of the GT-R structure, cast aluminum is used for the GT-R front strut towers, door shells, and rear bulkhead. The front strut towers and rear bulkhead are attached to the

steel structure using an adhesive, which increases structural integrity and acts as an anti-corrosive isolator. Carbon fiber panels, along with plastic and sheet-molded compound panels, are used to completely close out the GT-R underbody.

Attaching vehicle parts that are of two different types of materials should only be done by following the repair procedures approved by Nissan. Standard welding methods cannot be used to join these many new metals, because welding could deform them, and the interaction between the metals may lead to premature corrosion beneath repainted finishes. Likewise, welding would destroy newer nonmetallic materials. In these instances, chemical bonding may provide a viable alternative.

Some repairs to Nissan vehicles may only require a two-stage adhesive. Others may require the use of adhesives in conjunction with other fastening methods, such as bolts or rivets. Others may even require the addition of specialized welding procedures.

Should rivet-bonding be required, here are several key considerations that will help conserve limited working time and perform a complete, safe repair:

- Technicians must know the composition of what they are going to cut into beforehand.
- Before using an adhesive, application instructions and repair procedures must be understood.
- The use of approved parts, tools, fasteners and adhesives is essential. In particular, this new method requires the use of a punch riveting tool.



Nissan has partnered with I-CAR and DuPont Performance Coatings to qualify and provide training to collision facilities so that they can become part of the Nissan Certified Collision Repair Network. Look for an upcoming Nissan Infiniti Tech News article for more details (courtesy I-CAR).

- Avoid cross-contamination by working on the separate metals in different areas and with different tools.
- Clean surfaces are required for proper bonding. It is also important that bare metal be bonded to bare metal and not to painted surfaces.
- When rivet-bonding, be sure to bevel the drill holes so that panels can be compressed snugly together. Technicians should also note if rivets are involved, repairs involving aluminum should use aluminum rivets, while those involving steel should use steel rivets. A coating of zinc dust to prevent corrosion may also be required.
- During the final assembly, ensure that the new panel aligns properly to where it will be attached and check for gaps. A specified reinforcement plate may be required.

Following Nissan Requirements and Recommendations is Essential

Nissan provides a number of resources for making complete, safe repairs for new lightweight materials. For example:

- As a starting point, consult the Nissan or Infiniti service information websites (www.nissan-techinfo.com or www.infiniti-techinfo.com). In addition to other data, these

sites provide critical information regarding the location of various construction materials within a vehicle.

- Then visit the Nissan TECH-MATE website (www.nissantechmate.com) for lists of required or approved tools, equipment and supplies. For example, Nissan requires Celette frame racks and fixture equipment, as well as certain adhesives, such as 3M DP420 or 3M 8115.
- Nissan has partnered with I-CAR for collision training. "Currently, collision program training for Nissan certified collision facilities is an I-CAR focused training program," advises Mark Zoba, Nissan manager for Collision Parts, Service Sales and Marketing. "To be a Nissan certified, facilities must attain I-Car Gold status. Full requirements to acquire Gold status can be found at the I-CAR website (www.i-car.com). We've already developed a GT-R course and are looking at adding additional Infiniti and Nissan specific courses in the future."

Chemical bonding adhesives have proven to be ideally suited to modern vehicle bodywork repairs when high-strength metals, plastics, carbon fiber and emerging composites are present. Compared to more traditional joining technologies for new lightweight materials, modern two-component adhesive formulations and chemical bonding repair procedures allow all the properties of the repaired components to be more closely returned to their original state. |



SHIFT the way you move

Introducing the Nissan eStore




Ordering OE parts has never been easier. Genuine Nissan OE replacement parts always deliver model-specific engineering, perfect fit and like-new performance. And now, they're just a click away with the all-new Nissan eStore.

- Easy-to-use OE Parts Catalog
- Full VIN Decoding
- Parts Illustrations for Most Nissan Vehicles
- Order Online 24/7
- Fast Delivery from your Local Nissan Dealer

Trust the Original. Genuine Nissan Parts.


parts.NissanUSA.com

Here's How it Works:




Ready.

Enter your vehicle model and year. Select the specific category for the part you need. This is also a great time to identify other possible components you may need to properly complete the job. Choose your specific parts required. Add these parts to your shopping cart.



Set.


If you are new customer, enter your Zip code to see the closest dealers to you. Choose a dealer, submit your account information, then the dealer will set custom pricing for your shop and e-mail you a confirmation. As a returning customer you'll be able to immediately access your dealer specific webpage and custom pricing.



Click.

Once you're logged in, the chosen part(s) are still in your in box, but now the custom pricing of that dealer is shown. Once added to the shopping cart you can continue to checkout.

Nissan Electronic Power Assist



Electronic power steering systems (EPS) are now more common than ever on newer Nissan vehicles. This article covers the three types Nissan uses for its EPS, a discussion of its advantages, and tips for diagnosis and repair.

Electronic Power Assist Systems (EPS) are starting to see wider implementation due to the advantages they bring for fuel economy and manufacturing savings. American consumers expect power steering as a standard feature. Nissan works to meet that expectation by going beyond the conventional hydraulic power assist methods to create vehicles that utilize modern electronic controls for improved efficiency. With any new technology comes the need for more training. Here, we'll help clarify the reasons for using EPS and describe system components, their function, and how to diagnose and repair each design.

The Advantages of EPS


It's often tempting to dismiss some new automotive inventions as niche market or luxury-car-only developments. EPS is here to stay, and it will become more common. When compared to conventional hydraulic assist, EPS is cheaper to make, malfunctions or breaks down less often, and reduces the load on the engine for performance gains and greater fuel efficiency. You'll find EPS installed in the newest Nissan Juke, Sentra, Versa, Rogue, LEAF, Altima, and Infiniti M-Series hybrids, and likely more models in the coming generations. This is a wide-scale shift in the manufacturing process, and it is our responsibility as technicians

to stay informed about the details of function, diagnosis, and repair.


Let's discuss how Electronic Power Steering achieves these benefits before we launch into the different designs that Nissan uses. First and foremost, power assist is generated with a DC electric motor instead of a pump connected to the crankshaft. Motor speed can be directly controlled to produce the necessary assist pressures based on sensor input.

Conventional power assist is dependent on engine rpm, and requires idle-up signals for slow-speed parking to prevent engine stalling, and to provide adequate rpm for the necessary fluid pressure. Furthermore, conventional power steering pumps are always generating fluid pressure even when the steering wheel is in the straight-ahead position, simply because it's attached to the crank, and it must be available when requested. EPS is "smart enough" to know if the driver is turning the wheel, and can determine how much assist is needed. Most driving is going straight ahead, so it is a logical improvement for efficiency to only use engine power (as consumed by the alternator) when necessary.

EPS also requires fewer individual components, reducing the costs of manufacturing and maintenance. Some technicians may groan at the loss of "broken things to fix," but EPS still relies on sensor



Column-mounted EPS design.



Rack-mounted EPS design.

input and control modules, all of which may need diagnosis and repair. On the bright side, cars will be less messy to work on without power steering fluid leaks! Modern vehicles are shifting the role of the technician toward computer system diagnosis; EPS just confirms the transition.

Different EPS Designs


Let's explore the three different ways that Nissan implements EPS in its vehicles. Most common is the steering column-mounted EPS, in which the motor, control module, steering wheel torque sensor, and reduction gear are located under the dashboard in one large group. This EPS design simply boosts the driver's steering wheel input torque, rotating the steering shaft and causing the steering gear to move. That's really the entire setup! It eliminates the need for engine bay design to accommodate a pump, pressure and return hoses, reservoir, and a heavy power assist rack. We will explore the components in depth later.

Another EPS design has the motor mounted directly on the power steering rack. The EPS rack assembly contains the DC motor, motor angle sensor, and steering torque sensor. In the Altima hybrid, high voltage from the battery is stepped

down to 42V for the EPS motor within a DC/DC converter that is on top of the battery pack. The steering angle sensor is mounted within the steering column. All EPS sensor input is collected by the EPS control unit, which is located under the hood, by the left strut top mount. This design is comparatively more complicated than the above-mentioned steering column EPS. Nevertheless, rack-mounted EPS is more elegant and less spread out than a bunch of hydraulic components strewn about the engine bay.

The last design is a combined, electronic-hydraulic power assist system. Quite simply, the crank-driven power steering pump is replaced by an electronically-controlled DC motor-driven pump that generates the necessary fluid pressure. Nissan calls this hybrid EPS. The hybrid EPS control module calculates pressure based on input from the steering angle sensor on the column and the steering torque sensor in the steering gear. The pump, motor, and control unit are combined into one hybrid EPS unit located under hood. Fluid pressure is transmitted conventionally into a hydraulic power steering rack that works on the steering linkage. This system retains the primary efficiency advantage of being able to control the running time of the power steering pump.

All EPS control modules use CAN




Hybrid Electronic-Hydraulic EPS design


communication to get the vehicle speed from the primary ECU or ABS computer. Vehicle speed will affect output torque signals because low-speed steering will require greater assist than high-speed driving.

Any electronic power steering has fail-safe modes designed to protect the DC motor from over-running or the driver from losing steering control in case of emergency. In most instances, if electric assist is impossible, the steering wheel input will still move the steering gear or rack requiring increased driver effort. A warning indica-

tor will illuminate on the gauge cluster, and DTC information is stored that can be retrieved using a CONSULT III PLUS. In the case of the hybrid-electric EPS, the steering rack will fail-safe to having equal fluid pressures on either side of the internal rack piston, and open the flow connection valve to alleviate resistance. In the case of prolonged assist demands, the EPS motor will reduce output gradually. This protection function also works in the event the motor is shorted or otherwise powered incorrectly and does not rely on prolonged steering input.



Seen from above, the EPS motor and control unit on an EPS steering column.




Seen from the side, the torque sensor and reduction gear. You can get a sense of the additional height and size a steering column will require under the dash to add EPS.

A Closer Look at the Steering Column EPS

The steering column EPS is the most common system, and also the most simple in design. Until the driver moves the steering wheel, the system does nothing and remains in standby. If the steering wheel is moved, the torque sensor within the column will report the value to the EPS control unit. At that time, the control module will get vehicle speed information from CAN and perform a calculation to determine the assist torque signal. Depending on whether the driver is turning left or right, the torque signal will be a positive (right) or negative (left) value. The signal is interpreted by the EPS motor, which draws enough current to match the determined output torque. Like a window motor, the EPS motor turns clockwise or counterclockwise based on the path of the current determined by the control unit. The EPS motor rotates a reduction gear that will move the steering shaft and change the final drive torque that actually works on the steering gear pinion.

Because the steering shaft receives more torque directly applied to it, the U-joints are



Make sure the column is the specified length in the case of accident repair. A small amount of compression can create a lot of problems.

strengthened to accommodate the design. The dashboard and chassis have to be designed to allow for a larger steering column, as the EPS set-up is quite a bit larger than a normal column.

In the event of collision where damage to the steering column is a possibility, it may be necessary to replace the complete column and EPS assembly. With the column out of the vehicle, measure the length between the input of the steering wheel to the output of the EPS motor and compare with the specification in the service manual. Also, check the steering column rotating torque with a preload gauge (SST: ST3127S000) to determine whether the column is bent or there is an internal problem. Increased column rotating torque at certain points of travel may cause erratic power assist.

Components of the Rack-Mounted EPS Design

Control of the electric steering rack design is functionally identical to the steering column-mounted EPS. Steering wheel torque input is processed by the EPS control unit, which then determines the necessary amount of motor assist to provide. The control unit requests and distributes power from the DC/DC converter to step down the high voltage into the maximum 42V needed by the EPS motor. CAN communications provide the steering angle and vehicle speed data. The electric motor moves a worm gear, and a sensor reports its rotation angle to the EPS control module. Consult the service manual to determine the precise locations of every component within a rack-mounted EPS design. The motor and torque sensor are part of the EPS rack, but the control module and DC/DC converter will be located elsewhere.

The Hydraulic-Electric Hybrid EPS

The layout and design of a hydraulic-electric hybrid EPS setup will look similar to conventional

systems. In fact, it may actually fool you at first glance as the design requires pressure lines, a fluid reservoir, and hydraulic rack and pinion. The EPS motor is also the pump, reservoir, and control unit, so it is more or less self-contained like the steering column-mounted EPS. The hybrid EPS works just like conventional power steering, but with the exception that the pump motor is controlled identically to the above-mentioned EPS designs. Based on steering torque and vehicle speed, the hybrid EPS control unit determines the necessary amount of fluid pressure, and rotates the vanes of the pump in the appropriate direction to provide assist pressure to the correct side of the steering rack. In other words, it's an on-demand power steering pump that only works when the steering wheel is turned. Just like conventional hydraulic systems, fluid leaks can develop; plus, any EPS component control may require diagnosis and repair.

EPS Maintenance and Repair

The non-hybrid EPS designs do not require any periodic maintenance. In the event of a malfunction, the customer will complain of noises, steering feedback sensations (vibration, pulsation, judder, etc.), or the "EP" indicator on the gauge cluster may illuminate. The CONSULT III PLUS is necessary for diagnosis. It is possible that low battery voltage can cause loss of important information within the EPS control module.

If a primary EPS component requires replacement, it will be necessary to adjust the neutral position of the steering angle sensor, and/or calibrate the steering torque sensor. This is sometimes referred to as a zero-point calibration. Basically, the EPS needs to be told what things look like when the wheels are pointed straight ahead, and the steering wheel is centered without being actively turned. To set the zero-point for the steering angle sensor, you must use the CONSULT III PLUS and navigate to the ABS ECU work support section to choose ST ANGLE SENSOR ADJUSTMENT.

When performing alignments, the steering angle is not adjustable at the steering gear itself. It is necessary to finish the physical alignment process with adjusting the neutral position of the steering angle sensor as noted above. Forgetting this step may cause the customer to literally have to fight the power steering system to drive straight.

Some Debate

It has been argued that electronically-controlled steering assist may not be as safe as conventional systems, but this is simply not supported by the facts. EPS failures that result in loss of power assist are cited as the primary risk for crash, yet how is this any different from a hydraulic system that loses pressure from a slipping or broken belt, or fluid volume due to a leak? More often, motor assist remains ON despite having completed a turn, which means driver input is required to return the wheels forward. This is more annoying than dangerous. Sensationalism would have us believe the EPS motor gets stuck on and drives the car off the road. How often does a power window get stuck on indefinitely? Nissan is convinced that the future of efficient vehicles will involve EPS, and extensive quality control is involved in guaranteeing the safety of steering control systems.

What Will Happen to the Drive Belt?

Electronic accessories are gaining momentum and support as vehicle inter-system communications and processing power improve. The ultimate goal is to remove the yoke of pulley-driven accessories from under the hood. Electric A/C compressors, EPS, and possibly a replacement for the alternator will reduce the energy wasted on accessories, freeing up the engine for better performance and economy. Stay up to date on new Nissan technology with a subscription to www.nissan-techinfo.com for online training materials and new model introductions. |

Nissan & Infiniti Program Dealers

ALABAMA

BESSEMER
MOORE NISSAN
205.428.6314

BIRMINGHAM
SERRA NISSAN
205.856.2544

BIRMINGHAM
CROWN NISSAN
205.823.5266

BIRMINGHAM
JIM BURKE NISSAN
205.278.5904

DAPHNE
CHRIS MYERS NISSAN
251.626.5558

FAYETTEVILLE
SUPERIOR NISSAN
479.442.4251

HUNTSVILLE
LANDERS MCLARTY NISSAN
256.830.0266

MOBILE
PAT PECK NISSAN
251.470.5052

MONTGOMERY
JACK INGRAM MOTORS
334.277.5700

ARIZONA

AVONDALE
AVONDALE NISSAN
888.856.3322

CHANDLER
POWER NISSAN CHANDLER
480.461.4358

MESA
COULTER INFINITI
877.415.3521

MESA
EARNHARDT'S NISSAN/SUPER
480.324.8880

MESA
LARRY H. MILLER NISSAN MESA
480.655.4060

PEORIA
INFINITI OF PEORIA
623.583.5701

PEORIA
PEORIA NISSAN
623.523.6250

PHOENIX
ABC NISSAN
602.264.3666

PHOENIX
MIDWAY NISSAN
602.866.6650

SCOTTSDALE
INFINITI OF SCOTTSDALE
480.424.3211

SCOTTSDALE
PINNACLE NISSAN
480.368.4050

TEMPE
POWER NISSAN TEMPE
480.598.6111

TUCSON
INFINITI OF TUCSON
520.690.1500

TUCSON
JIM CLICK NISSAN
520.884.4130

TUCSON
THOROUGHbred NISSAN
520.618.6500

ARKANSAS

FORT SMITH
SMITH NISSAN
479.648.1900

NORTH LITTLE ROCK
NORTH LITTLE ROCK NISSAN
501.604.3955

CALIFORNIA

ALHAMBRA
ALHAMBRA NISSAN
626.289.7802

ANTIOCH
ANTIOCH NISSAN
925.281.5050

BAKERSFIELD
NISSAN OF BAKERSFIELD
661.396.4035

BAKERSFIELD
INFINITI OF BAKERSFIELD
661.617.2020

BUENA PARK
BUENA PARK NISSAN
714.739.0800

BURLINGAME
NISSAN OF BURLINGAME
650.347.4800

CARSON
CARSON NISSAN
310.221.5121

CATHEDRAL CITY
PALM SPRINGS NISSAN
760.328.2828

CERRITOS
CERRITOS INFINITI
562.405.3535

CERRITOS
CERRITOS NISSAN
800.396.7278

CHICO
CHICO NISSAN INC
530.891.0202

CITY OF INDUSTRY
PUENTE HILLS NISSAN
626.626.2600

CLOVIS
NISSAN OF CLOVIS
559.297.6919

COLMA
SERRAMONTE NISSAN
650.488.2870

CONCORD
DIRITO BROS CONCORD NISSAN
888.899.4173

CONCORD
NIELLO INFINITI
925.676.9592

CORONA
CORONA NISSAN
800.553.7438

COSTA MESA
CONNELL NISSAN
714.444.4220

DOWNEY
DOWNEY NISSAN
888.444.1355

DUARTE
PERFORMANCE NISSAN
866.540.6959

DUBLIN
DUBLIN NISSAN
952.452.8020

EL CAJON
MOSSY NISSAN EL CAJON
619.401.2068

EL MONTE
ROSS NISSAN OF EL MONTE
800.411.0554

ELK GROVE
INFINITI OF ELK GROVE
916.405.7005

ELK GROVE
NISSAN OF ELK GROVE
916.405.5010

ESCONDIDO
PERRY INFINITI
760.796.5500

ESCONDIDO
MOSSY NISSAN ESCONDIDO
760.746.5050

FAIRFIELD
MOMENTUM NISSAN
707.402.3200

FREMONT
PREMIER NISSAN OF FREMONT
510.668.8700

FONTANA
FONTANA NISSAN
909.350.8404

FRESNO
LITHIA NISSAN OF FRESNO
559.435.3500

GARDENA
GARDENA NISSAN INC
310.527.9215

GARDEN GROVE
OC NISSAN GARDEN GROVE
714.537.0900

GLENDALE
GLENDALE INFINITI
818.547.0520

GLENDALE
GLENDALE NISSAN
818.547.5550

GOLETA
SANTA BARBARA NISSAN, LLC
805.964.2990

HAWTHORNE
POWER NISSAN OF SOUTH BAY
310.536.4000

HUNTINGTON BEACH
SURF CITY NISSAN
714.500.6040

IMPERIAL
ROGERS & ROGERS NISSAN
760.352.2900

IRVINE
OC NISSAN-IRVINE
800.515.4797

LA QUINTA
TORRE NISSAN
760.777.8999

LOS ANGELES
NISSAN OF DOWNTOWN L.A.
888.576.4560

LOS ANGELES
UNIVERSAL CITY NISSAN INC
818.980.0655

MISSION HILLS
NISSAN OF MISSION HILLS
818.408.5870

MISSION VIEJO
INFINITI OF MISSION VIEJO
949.916.4224

MODESTO
CENTRAL VALLEY NISSAN INC
209.526.9736

MONROVIA
METRO INFINITI
800.600.4493

MONTCLAIR
INFINITI OF MONTCLAIR
909.621.0391

NAPA
NAPA NISSAN INC
707.253.1783

NATIONAL CITY
MOSSY NISSAN NATIONAL CITY
619.263.7251

OAKLAND
NISSAN OF OAKLAND
510.588.2200

ONTARIO
EMPIRE NISSAN INC
800.994.8881

ORANGE
STADIUM NISSAN
714.633.4264

OXNARD
TEAM INFINITI
805.288.5155

OXNARD
TEAM NISSAN
805.485.2910

PALMDALE
ANTELOPE VALLEY NISSAN
661.274.9556

PETALUMA
NORTH BAY NISSAN INC
800.788.0772

REDLANDS
METRO NISSAN OF REDLANDS
888.505.9211

REDWOOD CITY
BOARDWALK NISSAN
650.364.0100

REDWOOD CITY
PENINSULA INFINITI LLC
650.569.4228

RICHMOND
HANLEES HILLTOP NISSAN
510.222.4900

RIVERSIDE
INFINITI OF RIVERSIDE
951.324.8282

RIVERSIDE
RIVERSIDE NISSAN
951.688.9420

ROSEVILLE
FUTURE NISSAN, INC
916.677.5251

ROSEVILLE
SACRAMENTO INFINITI INC
916.782.2253

SACRAMENTO
MAITA'S NISSAN SACRAMENTO
916.488.5400

SAN BERNARDINO
NISSAN OF SAN BERNARDINO
877.331.3647

SAN DIEGO
KEARNY MESA INFINITI
858.573.1755

SAN DIEGO
MOSSY NISSAN KEARNY MESA
858.565.4411

SAN DIEGO
PACIFIC NISSAN
800.365.6429

SAN JOSE
BESHOFF INFINITI
408.531.3030

SAN LEANDRO
SAN LEANDRO NISSAN
510.347.3003

SAN LUIS OBISPO
COAST NISSAN
805.786.2928

SANTA CLARA
FRONTIER INFINITI
408.243.4355

SANTA CLARA
STEVENS CREEK NISSAN
408.557.5549

SANTA CRUZ
SANTA CRUZ NISSAN
831.426.5100

SANTA MARIA
SANTA MARIA NISSAN
805.925.0077

SANTA MONICA
SANTA MONICA INFINITI
310.828.4424

SANTA ROSA
NISSAN OF SANTA ROSA
707.545.4500

SELMA
SELMA NISSAN
559.891.2896

SIMI VALLEY
FIRST NISSAN
805.526.5007

SIGNAL HILL
HOOMAN NISSAN LONG BEACH
800.973.3689

SUNNYVALE
NISSAN SUNNYVALE
408.470.4150

TEMECULA
QUALITY NISSAN/TEMECULA
951.587.3772

THOUSAND OAKS
NISSAN OF THOUSAND OAKS
888.705.4441

TORRANCE
INFINITI SOUTH BAY
310.517.0570

TUSTIN
INFINITI TUSTIN
714.832.6252

TUSTIN
TUSTIN NISSAN
714.669.8282

VALENCIA
NISSAN OF VALENCIA
866.751.0234

VAN NUYS
MILLER NISSAN INC
818.374.4493

VICTORVILLE
VALLEY HI NISSAN
888.293.7762

VISALIA
NISSAN OF VISALIA
559.741.2274

WEST COVINA
WEST COVINA NISSAN
626.388.9300

WESTMINSTER
ORANGE COAST INFINITI
714.650.8585

WESTLAKE VILLAGE
INFINITI OF THOUSAND OAKS
805.230.8262

WOODLAND HILLS
WOODLAND HILLS NISSAN
818.577.2778

COLORADO

AURORA
INFINITI OF DENVER
303.671.2596

AURORA
TYNAN'S NISSAN INC
303.341.3214

CENTENNIAL
GO NISSAN ARAPAHOE
303.790.7333

COLORADO SPRINGS
SOUTH COLO SPGS NISSAN
719.550.3041

COLORADO SPRINGS
WOODMEN NISSAN
719.234.1060

DENVER
GO NISSAN 104TH
303.738.4330

ENGLEWOOD
LARRY H. MILLER NISSAN
720.274.5243

GREELEY
EHRlich NISSAN
970.353.2065

HIGHLANDS RANCH
MIKE WARD INFINITI
303.350.4300

LAKEWOOD
EMPIRE LAKEWOOD NISSAN
303.232.3009

LITTLETON
60 NISSAN SOUTHWEST
303.738.4330

CONNECTICUT

HARTFORD
HARTE INFINITI INC
877.791.7276

HARTFORD
HARTE NISSAN INC
860.541.6942

MANCHESTER
DECORMIER MOTOR SALES INC
201.758.1756

MIDDLEBURY
COUNTY LINE NISSAN
203.758.1756

MIDDLETOWN
MIDDLETOWN NISSAN LLC
860.632.6400

MILFORD
NAPOLI NISSAN
203.877.5607

NORTH HAVEN
EXECUTIVE NISSAN
888.479.5890

SHELTON
D'ADDARIO NISSAN
800.998.6978

TORRINGTON
ALFANO
860.482.5555

WEST SIMSBURY
HOFFMAN NISSAN
860.658.3340

WILTON
BRUCE BENNETT NISSAN
203.544.8371

DELAWARE

NEW CASTLE
SHERIDAN NISSAN LLC
302.326.6134

NEWARK
PORTER INFINITI
302.368.6305

NEWARK
PORTER NISSAN
302.368.6317

FLORIDA

CLEARWATER
AUTOWAY NISSAN/CLEARWATER
727.507.3200

CLEARWATER
LOKEY MOTOR COMPANY
727.374.2317

CLEARWATER
LOKEY NISSAN
727.450.7989

COCONUT CREEK
INFINITI OF COCONUT CREEK
954.861.6117

CORAL SPRINGS
CORAL SPRINGS NISSAN INC
954.752.9595

DAYTONA BEACH
DAYTONA NISSAN
386.274.6825

DELAND
DELAND NISSAN
386.734.3003

FORT LAUDERDALE
MAROONE NIS/FT LAUDERDALE
954.524.2105

FORT MYERS
SUTHERLIN NISSAN
239.267.1359

FORT PIERCE
FORT PIERCE NISSAN
772.464.4645

GAINESVILLE
GAINESVILLE NISSAN
352.378.2311

JACKSONVILLE
ATLANTIC INFINITI INC.
800.642.0200

JACKSONVILLE
COGGIN NISSAN AT THE AVE
904.886.7330

JACKSONVILLE
COGGIN NISSAN
904.642.7900

JACKSONVILLE
MIKE SHAD NISSAN/JACKSONV
866.668.8933

LAKELAND
JENKINS NISSAN INC
863.686.2800

MIAMI
BILL SEIDLE'S NISSAN INC
305.635.5478

MIAMI
ESSERMAN NISSAN LTD
305.625.6320

MIAMI
MAROONE NISSAN OF MIAMI
305.444.7868

MIAMI
WARREN HENRY INFINITI
305.654.1572

NAPLES
JOHN MARAZZI NISSAN
239.659.9000

NEW PORT RICHEY
FERMAN NISSAN
727.847.5555

ORLANDO
ORLANDO INFINITI
407.660.0077

ORLANDO
REED MOTORS, INC
407.297.7333

ORLANDO
SUTHERLIN NISSAN OF ORLANDO
407.657.9500

PALATKA
BECK NISSAN
386.328.2775

PALMETTO BAY
MAROONE NISSAN OF KENDALL
305.259.2658

PALMETTO BAY
SOUTH MOTORS INFINITI
305.256.2070

PANAMA CITY
JOHN LEE NISSAN
850.785.9561

PEMBROKE PINES
MAROONE NISSAN/PEMBROKE
954.447.2366

PENSACOLA
SANDY SANSING NISSAN INC
850.479.4777

POMPANO BEACH
POMPANO NISSAN, LLC
954.781.7700

SAINT PETERSBURG
CROWN NISSAN
727.527.8411

SARASOTA
COAST INFINITI
941.922.5723

SARASOTA
GETTEL NISSAN OF SARASOTA
941.923.1411

TALLAHASSEE
KRAFT NISSAN
850.576.6171

TAMARAC
SAWGRASS INFINITI
954.421.0669

TAMPA
AUTOWAY NISSAN OF BRANDON
813.623.1148

TAMPA
COURTESY NISSAN OF TAMPA
877.471.7658

TAMPA
INFINITI OF TAMPA
888.632.3042

ROYAL PALM BEACH
ROYAL PALM NISSAN
888.229.4132

WEST PALM BEACH
INFINITI OF PALM BEACHES
888.229.4132

WINTER HAVEN
HILL NISSAN INC
561.491.7540

GEORGIA

BOGART
NISSAN OF ATHENS
706.549.6600

BUFORD
SUTHERLIN NISSAN MALL/GEORGIA
678.714.1062

CHAMBLEE
CAPITOL CITY NISSAN LLC
770.457.4441

CONYERS
CONYERS NISSAN
770.929.8432

COLUMBUS
HEADQUARTER NISSAN
706.225.8100

DECATUR
NALLEY NISSAN
404.292.4774

DULUTH
GWINNETT PLACE NISSAN
770.813.6770

DULUTH
INFINITI OF GWINNETT
800.249.7301

GAINESVILLE
CARRIAGE NISSAN
678.717.0440

KENNESAW
TOWN CENTER NISSAN
770.423.7469

LILBURN
STONE MOUNTAIN NISSAN
678.252.3111

MACON
PAUL WALSH NISSAN INC
478.784.1991

MARIETTA
TEAM NISSAN OF MARIETTA
770.421.8639

MORROW
NISSAN SOUTH
770.968.1360

ROME
HERITAGE NISSAN
706.295.0525

ROSWELL
REGAL NISSAN INC.
770.998.8686

UNION CITY
INFINITI OF SOUTH ATLANTA
678.369.6074

UNION CITY
NISSAN SOUTH UNION CITY
770.306.9817

HAWAII

HONOLULU
INFINITI OF HONOLULU
888.836.7753

HONOLULU
NEW CITY NISSAN
808.545.3111

LIHUE
NISSAN OF KAUAI
808.245.0525

WAIPAHU
TONY NISSAN
808.680.7140

IDAHO

POST FALLS
FINDLAY NISSAN
208.618.5005

ILLINOIS

ARLINGTON HEIGHTS
ARLINGTON NISSAN/ARLINTN
847.590.0154

BARRINGTON
MOTOR WERKS INFINITI INC
888.568.3140

CENTRALIA
MONKEN NISSAN
618.545.5100

CHICAGO
BERMAN'S INFINITI CHICAGO
312.476.8000

CHICAGO
MID CITY NISSAN INC.
888.635.5652

CHICAGO
WESTERN AVENUE NISSAN
773.776.8200

COUNTRYSIDE
CONTINENTAL MOTORS INC
708.354.3745

CRYSTAL LAKE
JIM M'LADY NISSAN
815.459.2296

ELGIN
MCGRATH NISSAN
847.888.2030

GLENCOE
FIELDS INFINITI
847.998.5200

GURNEE
ROSEN NISSAN OF GURNEE
847.856.0644

LISLE
INFINITI OF LISLE INC
866.874.6346

MATTESON
HAWKINSON NISSAN LLC
708.720.2185

MELROSE PARK
AL PIEMONTE NISSAN INC
708.343.6669

NILES
STAR NISSAN INC
800.421.1947

NORTH AURORA
GERALD NISSAN OF N. AURORA
630.907.0867

O FALLON
AUFFENBERG NISSAN
618.622.4646

OAK LAWN
KELLY NISSAN INC
708.425.6659

ORLAND PARK
INFINITI OF ORLAND PARK
708.343.3800

PEORIA
UFTRING NISSAN INC
309.690.6230

SAINT CHARLES
NISSAN OF SAINT CHARLES
630.584.3900

SKOKIE
MARTIN NISSAN
847.967.2299

SOUTH HOLLAND
NISSAN OF SOUTH HOLLAND
800.696.4772

ST CHARLES
NISSAN OF ST. CHARLES
630.584.2489

INDIANA

FISHERS
BUTLER NISSAN
866.237.0569

INDIANAPOLIS
ANDY MOHR NISSAN INC
317.298.2015

INDIANAPOLIS
DREYER&REINBOLD INFINITI
317.573.4291

INDIANAPOLIS
ED MARTIN NISSAN
800.731.0228

INDIANAPOLIS
HUBLER NISSAN INC
800.960.9811

INDIANAPOLIS
TOM WOOD NISSAN INC
317.688.6222

IOWA

DES MOINES
WILLIS INFINITI
800.373.1836

DES MOINES
HUMMEL'S NISSAN
515.251.8115

KANSAS

MERRIAM
SUPERIOR NISSAN
913.722.5195

OLATHE
MCCARTHY OLATHE NISSAN
913.232.2624

WICHITA
DAVIS-MOORE NISSAN
316.618.2000

KENTUCKY

LEXINGTON
GLENN NISSAN
859.263.5020

LOUISVILLE
SAM SWOPE INFINITI
877.333.3410

LOUISIANA

BATON ROUGE
ALL STAR NISSAN LLC
225.272.9330

BATON ROUGE
INFINITI OF BATON ROUGE
225.756.6199

HARVEY
RAY BRANDT NISSAN INC
504.363.1918

METAIRIE
PREMIER NISSAN/METAIRIE
504.455.5880

METAIRIE
RAY BRANDT INF/METAIRIE
504.832.2005

MAINE

SOUTH PORTLAND
BERLIN CITY NISSAN
207.774.1429

MARYLAND

ANNAPOLIS
SHEEHY INFINITI/ANNAPOLIS
888.288.5162

BALTIMORE
ANTWERPEN SECURITY NISSAN
410.298.5369

BALTIMORE
BOB BELL CHEVROLET/NISSAN
410.282.2432

BEL AIR
BEL AIR NISSAN
410.879.1133

BOWIE
NISSAN OF BOWIE
301.867.6150

CLARKSVILLE
ANTWERPEN NISSAN INC
866.226.4930

COLLEGE PARK
DARCARS NISSAN
301.441.8000

ELLCOTT CITY
NORRIS NISSAN WEST
443.549.1260

FREDERICK
FREDERICK NISSAN
301.662.4800

GERMANTOWN
CRISWELL NISSAN
301.670.3900

GLEN BURNIE
SHEEHY NISSAN
877.478.3539

LAUREL
TISCHER NISSAN
800.288.6983

MARLOW HEIGHTS
PASSPORT NIS/MARLOW HEIGHTS
301.423.8400

ROCKVILLE
DARCARS NISSAN
301.309.2200

SALISBURY
POHANKA NISSAN/SALISBURY
410.548.4704

SILVER SPRING
HERB GORDON NISSAN
301.890.3055

TIMONIUM
NATIONWIDE MOTOR SLS CORP
410.252.5834

WALDORF
SHEEHY NISSAN OF WALDORF
301.843.5300

MASSACHUSETTS

AUBURN
BERTERA NISSAN INC
508.832.9611

BEVERLY
ROLAND D. KELLY NISSAN
978.767.4816

BROCKTAN
NISSAN 24
508.513.1869

BOURNE
NISSAN OF BOURNE
508.759.4400

DANVERS
KELLY INFINITI
866.883.7093

HYANNIS
BALISE NISSAN OF CAPE COD
508.771.3636

KINGSTON
SULLIVAN BROTHERS NISSAN
781.585.7500

LANCASTER
RON BOUGHARD'S NISSAN
978.345.1800

LYNNFIELD
KELLY NISSAN OF LYNNFIELD
866.979.4250

MEDFORD
COLONIAL NISSAN
781.395.5300

MILFORD
MILFORD NISSAN
508.422.2800

NORTH ATTLEBORO
NISSAN VILLAGE
888.309.0980

NORWOOD
INFINITI AUTO OF NORWOOD
888.340.4442

RAYNHAM
MASTRIA NISSAN, INC
800.248.2458

TEWKSBURY
IRA NISSAN TEWKSBURY
978.746.2500

WEST SPRINGFIELD
JERRY ROME NISSAN
413.746.2269

MICHIGAN

FARMINGTON HILLS
SUBURBAN NISSAN / FARM HILL
800.242.8425

GRAND RAPIDS
PFEIFFER INFINITI INC
616.940.8992

KALAMAZOO
COLE NISSAN
269.342.9800

KENTWOOD
FOX NISSAN/GRAND RAPIDS
616.719.5750

NOVI
SUBURBAN INFINITI INC
800.242.8425

OKEMOS
LANSING NISSAN
517.827.0273

TRAVERSE CITY
TRAVERSE CITY AUTO PLAZA
800.852.6475

TROY
SUBURBAN INFINITI OF TROY
248.731.3400

TROY
SUBURBAN NISSAN OF TROY
248.649.0074

MINNESOTA

BLOOMINGTON
FELDMANN IMPORTS INC
952.837.6350

BLOOMINGTON
LUTHER INF OF BLOOMINGTON
952.885.7050

BROOKLYN PARK
BROOKLYN PARK AUTOMOTIVE
763.765.1562

BURNSVILLE
WALSER NISSAN
952.898.7306

GOLDEN VALLEY
JIM LUPIENT INFINITI
763.513.4715

INVER GROVE HEIGHTS
LUTHER NISSAN
800.246.9984

MAPLEWOOD
KLINE NISSAN
651.379.4325

MISSISSIPPI

BRANDON
GRAY-DANIELS NISSAN BRAND
800.530.7989

GULFPORT
PAT PECK NISSAN
228.864.6411

HATTIESBURG
PETRO NISSAN
601.264.4411

JACKSON
GRAY-DANIELS NISSAN NORTH
601.899.7450

TUPELO
CARLOCK NISSAN OF TUPELO
800.808.6481

MISSOURI

COLUMBIA
JOE MACHENS NISSAN
573.443.1660

CREVE COEUR
PLAZA INFINITI
314.301.1702

HAZELWOOD
BOMMARITO NISSAN INC
314.731.8270

KANSAS CITY
RANDY REED NISSAN LLC
816.459.4800

KANSAS CITY
STATE LINE NISSAN
816.942.4007

KANSAS CITY
INFINITI OF KANSAS CITY
888.227.5301

SAINT LOUIS
LOU FUSZ MOTOR COMPANY
800.392.1372

SAINT LOUIS
SUNTRUP NISSAN
314.892.7790

SPRINGFIELD
INFINITI OF SPRINGFIELD
417.616.5581

MONTANA

BILLINGS
BILLINGS NISSAN LLC
406.294.1259

MISSOULA
MISSOULA NISSAN-HYUNDAI
406.721.1100

NEBRASKA

ELKHORN
INFINITI OF OMAHA
402.493.1945

OMAHA
NISSAN OF OMAHA LLC
402.592.2200

NEVADA

HENDERSON
HENDERSON NISSAN
702.558.5974

LAS VEGAS
DESERT NISSAN
702.262.0540

LAS VEGAS
PARK PLACE INFINITI
702.252.8800

LAS VEGAS
PLANET NISSAN
702.839.6138

LAS VEGAS
UNITED NISSAN
702.207.8032

NEW HAMPSHIRE

MANCHESTER
TEAM NISSAN INC
603.634.4442

NASHUA
INFINITI OF NASHUA
603.888.2446

NASHUA
PETER'S AUTO SALES INC
603.579.5205

PORTSMOUTH
PORT CITY NISSAN
603.431.6500

NEW JERSEY

AVENEL
SANSONE'S ROUTE 1 NISSAN
732.815.2525

BLOOMFIELD
LYNNES NISSAN CITY INC
973.743.8387

BUTLER
ROUTE 23 NISSAN LLC
888.393.4861

CHERRY HILL
CHERRY HILL NISSAN INC
856.667.8010

CLIFTON
FETTE INFINITI, LLC
973.743.3100

ENGLEWOOD
INFINITI OF ENGLEWOOD LLC
800.969.2204

FLEMINGTON
FLEMINGTON INFINITI
800.218.1437

FLEMINGTON
FLEMINGTON NISSAN
800.381.9113

FREEHOLD
DCH FREEHOLD NISSAN
732.780.4660

HAINESPORT
CLASSIC CARS NISSAN
609.267.2886

HASBROUCK HEIGHTS
MEADOWLANDS NISSAN
888.935.7799

KEYPORT
PINE BELT NISSAN/KEYPORT
732.264.4364

MAPLE SHADE
HOLMAN INFINITI
800.523.0285

NEPTUNE
SANSONE JR'S 66 NISSAN
800.274.7121

JERSEY CITY
HUDSON NISSAN
201.435.2003

NORTH PLAINFIELD
NORTH PLAINFIELD NISSAN
800.311.4663

SOMERVILLE
SOMERSET NISSAN
908.722.3600

SOUTH BRUNSWICK
ACME NISSAN
800.367.0269

STANHOPE
LYNNES NISSAN WEST INC
800.245.9590

TOMS RIVER
PINE BELT AUTOMOTIV INC
732.349.6878

TURNERSVILLE
NISSAN OF TURNERSVILLE
800.883.0003

WOODBURY
WOODBURY NISSAN INC
856.853.8176

NEW MEXICO

ALBUQUERQUE
GARCIA INFINITI
505.217.3002

ALBUQUERQUE
MELLOY NISSAN
505.266.8588

ALBUQUERQUE
RELIABLE NISSAN
505.897.6001

NEW YORK

ALBANY
ARMORY NISSAN INC
518.641.7672

AMHERST
MIKE BARNEY NISSAN
716.833.6618

BAYSIDE
STAR NISSAN INC.
718.359.7454

BLAUVELT
ROCKLAND NISSAN
845.358.3670

BROOKLYN
BAY RIDGE NISSAN INC.
718.238.4776

BROOKLYN
KING'S NISSAN INC
718.934.3900

BROOKLYN
KINGS INFINITI INC
718.646.3335

COHOES
LIA INFINITI
518.738.0800

GREAT NECK
GREAT NECK NISSAN
516.301.5155

KINGSTON
KINGSTON NISSAN
845.338.3100

OZONE PARK
NISSAN OF QUEENS
877.259.2886

GREENVALE
BARON NISSAN INC
516.621.2299

HUNTINGTON STATION
NISSAN OF HUNTINGTON
631.439.7081

JACKSON HEIGHTS
KOEPEL NISSAN INC
718.898.7081

LYNBROOK
LEGACY INFINITI LTD
877.569.4634

MANHASSET
INFINITI OF MANHASSET
866.382.2266

MOUNT KISCO
JIM HARTE NISSAN
914.242.3990

NEW YORK
INFINITI OF MANHATTAN INC
212.315.0700

PATCHOGUE
NISSAN 112 SALES CORP
631.289.9070

PORT CHESTER
NISSAN CITY/PORT CHESTER
914.937.1777

RIVERHEAD
RIVERHEAD AUTO MALL LTD
631.369.0111

SAINT JAMES
SMITHTOWN NISSAN, INC
631.361.9560

SCHENECTADY
LIA NISSAN
518.370.2121

SEAFORD
MASSAPEQUA NISSAN
631.842.5320

STATEN ISLAND
S.G. HYLAN MOTORS CORP
718.447.3800

SYOSSET
LEGEND NISSAN LTD
516.496.7385

WEST ISLIP
ATLANTIC NISSAN SUPERSTOR
631.587.2766

WESTBURY
ADVANTAGE NISSAN
516.935.1813

WHITE PLAINS
PEPE INFINITI INC
800.344.7660

YONKERS
CENTRAL AVENUE NISSAN
914.961.3900

YORKTOWN HEIGHTS
CURRY NISSAN
914.737.3500

NORTH CAROLINA

CARY
LEITH NISSAN
919.589.0029

CHARLOTTE
EAST CHARLOTTE NISSAN
704.535.4012

CHARLOTTE
SOUTH CHARLOTTE NISSAN
704.552.9191

CORNELIUS
LAKE NORMAN INFINITI
704.237.5100

CORNELIUS
MODERN NISSAN/LAKE NORMAN
704.237.8008

DURHAM
MICHAEL JORDAN NISSAN
919.489.3800

GREENSBORO
CROWN NISSAN
866.525.9859

GREENSBORO
MODERN INFINITI LLC
888.232.4118

HICKORY
CROSSROADS NISSAN
828.324.5040

MATTHEWS
INFINITI OF CHARLOTTE
704.815.1018

RALEIGH
CROSSROADS INFINITI INC
919.981.5656

RALEIGH
SOUTHERN STATES NISSAN
888.998.0044

SANFORD
CROSSROADS NISSAN
877.399.4830

STATESVILLE
CLASSIC NISSAN
704.872.8500

WAKE FOREST
CROSSROADS NISSAN
919.435.5740

WILMINGTON
CAPITAL NISSAN
910.392.4300

WINSTON SALEM
MODERN INF/WINSTON-SALEM
888.232.4118

WINSTON-SALEM
MODERN NISSAN LLC
336.744.2142

OHIO

AKRON
FRED MARTIN NISSAN
330.644.8888

BEDFORD
INFINITI OF BEDFORD
440.359.1453

CHILLICOTHE
NOURSE NISSAN
740.773.7913

CINCINNATI
INFINITI OF CINCINNATI
513.583.1200

DUBLIN
INFINITI OF COLUMBUS LLC
614.793.2481

HILLIARD
BUCKEYE NISSAN INC.
614.771.2370

MASSILLON
WAIKEM NISSAN
800.274.0157

MAYFIELD HEIGHTS
GANLEY NISSAN
440.449.9500

MEDINA
KEN GANLEY NISSAN INC.
330.721.0509

MIDDLEBURG HTS
NISSAN OF MIDDLEBURG HTS
440.884.7800

STREETSBORO
CLASSIC NISSAN
330.422.7300

TOLEDO
YARK NISSAN
419.842.7532

OKLAHOMA

BROKEN ARROW
NELSON NISSAN
877.910.4646

OKLAHOMA CITY
BOB HOWARD NISSAN INC
405.943.9555

OKLAHOMA CITY
BOB MOORE INFINITI INC
405.748.6086

OKLAHOMA CITY
HUDIBURG NISSAN L.L.C.
405.632.0715

TULSA
BOB MOORE NISSAN OF TULSA
918.628.1495

TULSA
JACKIE COOPER NISSAN
888.211.6202

OREGON

EUGENE
LITHIA NISSAN OF EUGENE
541.686.2218

GLADSTONE
GLADSTONE NISSAN
503.723.2070

MEDFORD
LITHIA NISSAN
541.774.8416

PORTLAND
BEAVERTON INFINITI
503.526.5302

TROUTDALE
NISSAN OF GRESHAM
503.405.9520

PENNSYLVANIA

ARDMORE
INFINITI OF ARDMORE
610.896.4400

ALLENTOWN
ROTHROCK MOTOR SALES INC
484.223.0596

BEAVER FALLS
BEAVER COUNTY NISSAN
724.847.4800

CONCORDVILLE
CONCORDVILLE NISSAN
610.459.9135

CONSHOHOCKEN
CONICELLI NISSAN
800.845.0999

DOYLESTOWN
FRED BEANS NISSAN/DOYLEST
888.842.8829

ERIE
PORRECO NISSAN INC
814.860.8377

EXTON
EXTON NISSAN
610.594.7400

FAIRLESS HILLS
PERUZZI NISSAN
215.949.6970

FEASTERVILLE
COLONIAL NISSAN INC
215.364.1800

JENKINTOWN
FAULKNER NISSAN
215.887.7940

MECHANICSBURG
BRENNER NISSAN
717.697.8400

MONTGOMERYVILLE
MONTGOMERYVILLE NISSAN
888.430.2929

MOON TOWNSHIP
WEST HILLS NISSAN
412.262.1403

MUNCY
ALEXANDER NISSAN INC.
570.546.4925

PHILADELPHIA
CHAPMAN NISSAN LLC
215.492.8900

PITTSBURGH
COCHRAN NISSAN/SOUTH HILL
412.343.3200

PITTSBURGH
PITTSBURGH EAST NISSAN
412.823.0101

PLEASANT HILLS
BOWSER NISSAN
888.455.2377

SCRANTON
TOM HESSER NISSAN
570.558.2000

STATE COLLEGE
NISSAN OF STATE COLLEGE
814.238.2447

WEST CHESTER
INFINITI OF WEST CHESTER
484.885.2275

WEXFORD
WRIGHT AUTOMOTIVE GROUP
724.935.4646

WILLOW GROVE
INFINITI OF WILLOW GROVE
215.784.9320

YORK
APPLE NISSAN INC.
717.755.9543

RHODE ISLAND

EAST PROVIDENCE
NISSAN OF EAST PROVIDENCE
401.432.2000

WARWICK
BALISE NISSAN
401.780.3790

WARWICK
INFINITI OF WARWICK
401.824.2225

WEST WARWICK
NISSAN WEST WARWICK
401.824.2364

SOUTH CAROLINA

CHARLESTON
BAKER INFINITI CHARLESTON
843.852.4029

CHARLESTON
MORRIS MOTORS INC
843.571.2810

COLUMBIA
DICK SMITH NISSAN
800.922.6218

GREENVILLE
CROWN NISSAN GREENVILLE
864.254.7711

GREER
NISSAN OF GREER
864.868.6615

HARDEEVILLE
INFINITI OF HILTONHEAD
800.501.7408

HARDEEVILLE
KEY NISSAN LLC
800.868.6615

TENNESSEE

ALCOA
TWIN CITY NISSAN
865.970.4132

BARTLETT
WOLFCHASE NISSAN
901.255.3880

CHATTANOOGA
KELLY INF. OF CHATTANOOGA
423.899.8934

CLARKSVILLE
HAROLD MATHEWS NISSAN
931.221.4230

FRANKLIN
NISSAN OF COOL SPRINGS
877.250.7778

GALLATIN
NEWTON NISSAN
615.451.6827

JACKSON
CARLOCK NISSAN OF JACKSON
800.200.3997

JOHNSON CITY
TRI-CITIES NISSAN INC
423.952.1920

KNOXVILLE
HARPER INFINITI INC
877.870.8052

MEMPHIS
DOBBS NISSAN
901.759.6100

MEMPHIS
JIM KERAS NISSAN INC
901.373.2800

MURFREESBORO
NISSAN OF MURFREESBORO
615.893.0252

NASHVILLE
DOWNTOWN NASHVILLE NISSAN
615.248.5110

SHELBYVILLE
VICTORY NISSAN SOUTH
931.488.3286

TEXAS

ARLINGTON
DON DAVIS NISSAN INC
817.588.5510

AUSTIN
AUSTIN INFINITI INC.
512.454.6338

AUSTIN
SOUTH POINT NISSAN
512.444.4962

AUSTIN
TOWN NORTH NISSAN
800.251.7278

BEDFORD
GRUBBS NISSAN
817.268.8930

CONROE
STREATER-SMITH NISSAN
936.523.2142

CORINTH
ORR NISSAN OF CORINTH
866.360.4763

CORPUS CHRISTI
ED HICKS NISSAN LTD
361.654.8561

DALLAS
CLAY COOLEY NISSAN
972.709.2000

EL PASO
CASA NISSAN INC
915.779.3261

EL PASO
HOY-FOX INFINITI
915.772.3256

EULESS
GRUBBS INFINITI LTD
817.359.4114

FORT WORTH
NISSAN OF FORT WORTH
817.696.4886

GRAPEVINE
TEXAS NISSAN OF GRAPEVINE
817.601.3563

HOUSTON
BAKER NISSAN NORTH
281.890.5656

HOUSTON
BAKER NISSAN SOUTH
713.349.6174

HOUSTON
CLEAR LAKE INFINITI
713.589.4013

HOUSTON
MCDAVID NISSAN
713.941.0400

HOUSTON
MOSSY NISSAN
281.589.5309

HOUSTON
SOUTHWEST INFINITI
713.981.5812

HOUSTON
TOM PEACOCK NISSAN
832.626.1425

HUMBLE
ROBBINS NISSAN
281.446.3181

IRVING
BANKSTON NISSAN OF IRVING
972.438.4848

LEAGUE CITY
CLEAR LAKE NISSAN
281.557.5450

LONGVIEW
PATTERSON NISSAN/LONGVIEW
903.758.4135

MCALLEN
BERT OGDEN NISSAN
956.631.6666

MCKINNEY
NISSAN OF MCKINNEY
214.544.4900

MESQUITE
TROPHY NISSAN
866.831.2622

PLANO
CREST INFINITI
972.516.2314

RICHARDSON
COURTESY NISSAN
972.644.3942

ROUND ROCK
ROUND ROCK NISSAN
512.244.8525

SAN ANTONIO
ANCIRA NISSAN INC
800.508.1117

SAN ANTONIO
GUNN INFINITI LTD
210.824.6152

SAN ANTONIO
GUNN NISSAN LTD.
210.494.4760

SAN ANTONIO
INGRAM PARK NISSAN
210.681.6017

TEXARKANA
PETE MANKINS
903.793.5661

TOMBALL
FRED HAAS NISSAN
281.516.6700

TYLER
PELTIER NISSAN
903.534.8934

WEATHERFORD
SOUTHWEST NISSAN
817.565.1170

UTAH
MURRAY
TIM DAHLE INFINITI
800.848.4070

MURRAY
TIM DAHLE NISSAN
801.269.6420

RIVERDALE
KEN GARFF NISSAN RIVERDAL
801.627.6762

SALT LAKE CITY
KEN GARFF NISSAN OF SALT LAKE
800.888.1926

VERMONT

SOUTH BURLINGTON
FREEDOM NISSAN INC
802.846.0210

VIRGINIA

ALEXANDRIA
PASSPORT INFINITI/ALEXAND
703.461.1500

CHANTILLY
INFINITI OF CHANTILLY
703.322.3629

CHANTILLY
NISSAN OF CHANTILLY
800.724.9350

CHARLOTTESVILLE
COLONIAL NISSAN-PONT-CAD
434.951.1062

CHESAPEAKE
HALL NISSAN CHESAPEAKE
866.401.8332

CHESAPEAKE
NISSAN OF CHESAPEAKE
800.558.9924

CHESTER
PRIORITY NISSAN RICHMOND
804.518.1888

CHRISTIANSBURG
NEW RIVER NISSAN INC
540.382.9697

FALLS CHURCH
KOONS NISSAN
703.241.1000

FOREST
LYNCHBURG NISSAN INC
434.385.7733

HAMPTON
POMOCO NISSAN OF HAMPTON
757.838.6111

MANASSAS
SHEEHY NISSAN OF MANASSAS
703.361.0377

MECHANICSVILLE
SHEEHY NISSAN
804.417.1012

MIDLOTHIAN
PENCE NISSAN
804.378.3000

NEWPORT NEWS
NISSAN OF NEWPORT NEWS
757.369.6600

NORFOLK
CHARLES BARKER NISSAN
757.353.4878

RICHMOND
PEARSON INFINITI
804.527.0300

RICHMOND
SHEEHY NISSAN OF RICHMOND
804.346.4200

ROANOKE
FIRST TEAM NISSAN
540.362.4800

SPRINGFIELD
SHEEHY NISSAN/SPRINGFIELD
703.922.2223

VIENNA
INFINITI OF TYSONS CORNER
800.441.1291

VIRGINIA BEACH
CHARLES BARKER INFINITI
757.818.9553

VIRGINIA BEACH
HALL NISSAN VIRGINIA BEACH
866.930.7644

WOODBIDGE
COWLES NISSAN
866.830.1688

WASHINGTON

BELLEVUE
NISSAN OF THE EASTSIDE
425.462.9074

EVERETT
MAGIC NISSAN OF EVERETT
425.347.5763

FIFE
INFINITI/TACOMA AT FIFE
253.231.4310

KIRKLAND
INFINITI OF KIRKLAND
425.602.7205

OLYMPIA
OLYMPIA NISSAN
888.713.0195

RENTON
YOUNKER NISSAN
425.251.8107

SPOKANE
WENDLE NISSAN
509.468.4047

WISCONSIN

GREEN BAY
GANDRUD NISSAN
800.242.2844

MADISON
ZIMBRICK INFINITI MADISON
608.230.1429

MADISON
ZIMBRICK NISSAN
608.241.1122

MILWAUKEE
ROSEN NISSAN INC
800.333.0149

Trust the Original, Use Genuine Nissan/Infiniti Parts.

WHAT'S STOPPING YOU?

GIVE YOUR CUSTOMERS WHAT THEY WANT.

Introducing the new Nissan Value Advantage™ Brake Pad. No aftermarket competitors have the advantage of being manufacturer tested and validated by Nissan engineers, yet pricing of Value Advantage Brake Pads remains highly competitive with aftermarket products.

Improve Customer Satisfaction with the Nissan Value Advantage:

- True Premium Ceramic Pad Make-up
- Precision Steel backing plates
- Precision fit shims included

See your local Nissan Dealer for details.

SHIFT the way you move



Nissan and the Nissan Brand Symbol are Nissan Trademarks.
©2011 Nissan North America, Inc.

VALUE ADVANTAGE™